

NASA ESTABLISHES OFFICE OF EXPLORATION

(Editor's Note: The following is a NASA press release dated June 1, 1987.)

Dr. James C. Fletcher, administrator of NASA, announced today the creation of an Office of Exploration to coordinate agency activities that would "expand the human presence beyond Earth," particularly to the Moon and Mars.

He said that Dr. Sally K. Ride would serve as its acting assistant administrator until mid-August. She is scheduled to leave NASA in early autumn to assume a position at Stanford University. Dr. Ride has been in charge of a NASA study to determine a possible new major space goal for the United States.

"There are considerable - even urgent - demands for a major initiative that would re-energize America's space program and stimulate development of new technology to help the nation remain pre-eminent both in space and in the world's hightech market place," Dr. Fletcher said.

"This office is a step in responding to that demand," Dr. Fletcher said. "It will analyze and define missions proposed to achieve the goal of human expansion off the planet. It will provide central coordination of technical planning studies that will involve the entire agency. In particular, it will focus on studies of potential lunar and Mars initiatives."

Dr. Fletcher noted that Dr. Ride's study group recently identified four major areas for concentrated examination as possible initiatives in pursuit of a new national space objective. These are:

• Intensive study of Earth systems with the goal of exponentially expanding knowledge required to protect the environment.

LUNAR	news	NO.	49	SUMMER	1987
	(CONTE	ENTS:	•	i
	TABLISH ATION			OF	1
BOOK R	EVIEW	•••••	••••••		2
1. 0111101	IOP ON LU GROWTH			FOR	3
	MPLES FR			16, 20,	4
CURATO	R'S REPO	ORT			6

- A substantially stepped-up robotic program to explore the planets, moons, and other bodies in the solar system.
- Establishment of a scientific base and a permanent human presence on the Moon.
- Human exploration of Mars preceded by intensive robotic exploration of the planet.

Dr. Fletcher said the Ride study group developed these possible goals in a "workshop/task force environment." He said that at that plateau "Sally concluded that these and other potential initiatives deserved further intensive and systematic consideration to help determine a NASA position on a goal and to follow through after a goal is identified. Therefore, in the case of the two initiatives related to human expansion off the planet, she recommended that this new office be established."

Further studies of the Earth systems and robotic solar system proposals will be managed by the Office of Space Science and Applications where these interests have been well established for years.

"Planning for the civil space program that NASA recommends may well include a combination of the areas under consideration," Dr. Fletcher said.

The new office will concentrate on mission concepts and scenarios, schedules, transportation requirements, facilities, utilization, resources requirements, and science opportunities.

Dr. Fletcher said that a decision to go to the Moon or Mars would not impact the first phase of Space Station development. Current plans are to build the Station in two phases. A lunar or Mars initiative would influence the design of the second phase so it could serve as a technology test bed and a logistics terminal for lunar or Mars activities.

BOOK REVIEW

Wendell Mendell NASA Johnson Space Center

Lunar Entrepreneurs Directory, Edited by Steve Durst. 12 pages. Space Age Publishing Company, 3210 Scott Boulevard, Santa Clara, CA. \$50/first copy; \$25/first copy for Space Calendar subscribers; free first copy for Space Daily subscribers; reduced rates for multiple copies.

Lunar base planning was an official NASA activity during the Apollo program and served as a base of information for the Space Task Group Report to the President in 1970. However, with the demise of Project Apollo in 1972, advanced lunar studies vanished from the NASA "gray literature." A few hardy souls at the Space Studies Institute and at the California Space Institute carried the flame during the 70's, but their concepts based on commercial exploitation of lunar resources never made much of an impact on U.S. space policy.

Currently, interest in lunar outposts and settlements is recrystallizing as evidenced by symposia and workshops conducted over the past three years. Most of the activity has been organized or loosely coordinated by an ad hoc group under the name "The Lunar Initiative." The strategies now in vogue are based on an evolutionary view of NASA's proposed Space Transportation System. Until very recently, no formal planning organization within NASA was addressing these topics; and much of the momentum and support for the ideas have come from outside NASA.

The people at Space Age Publishing are great believers in the economic potential of space development and have been very supportive of the various activities associated with the Lunar Initiative. They have recognized the difficulty inherent in maintaining a flow of information within a small, widely dispersed, and highly diverse community of interest which has no formal organization. Therefore, their Lunar Entrepreneurs Directory "is designed to serve as a communications vehicle for the acceleration of activities leading to an early and permanent Return to the Moon by Americans and other individuals."

The directory lists approximately 400 individuals, organizations, and companies that have been associated with lunar development and exploration in its broadest definition. Many were attendees at either the October 1984 Lunar Base Symposium in Washington, DC, or the August 1985 Lunar Development Symposium in Atlantic City, NJ. The major organizations that characterize themselves as promoting lunar development are described briefly. A few of the listings for individ-

uals are annotated with a short statement of expertise or interest. Most citations include addresses and phone numbers.

The compilation, in my opinion, is about as good as one could expect, given the information in the public domain. The directory does indeed include all the lunar entrepreneurs of which I am aware. On the other hand, most of the people listed probably would not characterize themselves as such. In fact, I suspect a few will be surprised to find their names here. I estimate that approximately five percent of the listings for individuals are out of date.

Although the directory has a number of flaws, it is a unique document. It will be most useful to lunar development enthusiasts who cannot attend specialized symposia regularly and who must follow events through the news media or scientific publications. The author of an article or a person mentioned in a news item can be contacted for more information using the address in the directory. Often the context of an announcement can be understood if the professional affiliation or background of the source is known. Unfortunately, the price is rather high for individuals who might benefit most from it, i.e., those somewhat isolated from the centers of space technology development. I do not fault the publishers because costs can be quite high for low-volume documents. Hopefully, as the level of activity in lunar research grows, the Lunar Entrepreneurs Directory will become the roster of a well-defined professional community.

WORKSHOP ON LUNAR SOILS FOR PLANT GROWTH

Donald L. Henninger NASA Johnson Space Center

A workshop entitled "Lunar Derived 'Soils' for the Growth of Higher Plants" was held at NASA Johnson Space Center on June 1 and 2, 1987. The workshop was convened to tap the agricultural and related sciences community on how lunar regolith might be used as a solid plant substrate at a lunar base. The production of food plants is a major component of a Controlled Ecological Life Support System (CELSS), and use of the lunar

soil, much as terrestrial soils are used, has some potential advantages, such as a high buffering capacity and source of plant growth nutrients. It is possible that a lunar base agricultural facility could not only provide food to lunar base crews but might also supply food to space stations and piloted interplanetary spacecraft as well as accepting waste materials from other space activities.

Over 70 scientists representing more than 15 universities, five other federal agencies, and eight industries participated in the day-and-a-half workshop. Since a large proportion of the participants have not been involved in lunar analyses, background briefings on the lunar regolith and lunar environment were provided by Jeff Taylor, University of New Mexico, and Dave McKay of NASA Johnson Space Center. Similarly, background briefings on NASA's Controlled Ecological Life Support Systems (CELSS) research program were given by John Langmead of NASA Headquarters, Ralph Prince of NASA Kennedy Space Center, Joe Gale representing NASA Ames Research Center, and Don Henninger of NASA Johnson Space Center. Briefings on NASA's lunar base scenarios, Mars base scenarios, and the Mars Rover and Sample Return Mission were provided by Barney Roberts, Kyle Fairchild, and Doug Blanchard, respectively, all of NASA Johnson Space Center.

"Lunar News" is produced three times a year by the Planetary Materials Branch of the Solar System Exploration Division, Johnson Space Center of the National Aeronautics and Space Administration. "Lunar News" is intended to be a forum for discussion of facts and opinions regarding lunar sample study, Lunar Geochemical Orbiter and Lunar Base activities. It is sent free to a mailing list of more than 700 individuals; to be included on the mailing list, write to the address below. Your contributions to "Lunar News" on topics relating to the study, exploration and utilization of the Moon and comments about "Lunar News" and material appearing in it should be sent to:

Doug Blanchard, Lunar Sample Curator Code SN2, NASA JSC Houston, TX 77058

After the background briefings, workshop participants were divided into two working groups. One group chaired by Lloyd Hossner of Texas A&M University addressed the chemical and physical properties of a lunar derived soil while another group chaired by Frank Salisbury of Utah State University addressed the biological properties. Within each group, invited presentations were given to serve as point of departure for the group discussions.

The groups prepared a list of prioritized research topics and suggested approaches. A common thread surfaced in both groups of scientists and that was a need for simulated lunar regolith in reasonably large quantities to support this line of research. Complete results of the workshop will be published by the end of the year.

NEW SAMPLES FROM LUNA 16, 20. AND 24

Jeff Taylor University of New Mexico

During the 18th Lunar and Planetary Science Conference, Dr. V. L. Barsukov of the U.S.S.R. Academy of Science and the Vernadsky Institute presented two grams of lunar material collected by unmanned Luna missions to Dr. G. Jeffrey Taylor, LAPST Chairman. This allocation by Soviet scientists to the U.S. lunar scientific community represents another example of scientific collaboration in lunar and planetary science between Soviet and American scientists. LAPST has arranged for the samples to be processed in the Curatorial Facility at the Johnson Space Center.

The samples and masses received are listed in Table 1. Ms. Kim Willis of LEMSCO hand-picked all fragments larger than about 0.5 mm. These fragments were then rinsed in freon and placed into lithologic categories by LAPST members Jeff Taylor, Paul Spudis, and Graham Ryder. Descriptions of these subsamples appear below.

LAPST will consider requests for these at a special meeting in mid-August 1987. LAPST will also consider requests for the < 0.5 mm fines (the ",0" samples described below) and, if needed, can

arrange to have them sieved into two size categories, 250-500 microns and < 250 microns. More extensive sieving cannot be accommodated. Requests must be received by August 6, 1987, to be considered. Please include a discussion of the scientific justification for the specific samples requested.

Luna 16:

21036.0 - Bulk fines from which particles > ~ 0.5 mm have been removed. Dark gray in color.

21036.1 - Regolith breccias. There are 51 fragments ranging in size from 0.5 to 2.5 mm. They are fine-grained microbreccias; some contain white clasts. Some are very friable, others coherent. A few are coated partially by glass.

21036.2 - Coarser-grained crystalline rocks. This sample consists of 14 particles ranging in size from 0.5 to 1.5 mm. One fragment appears to be an olivine crystal. The remainder look like mare basalts. The average grain size in them is about 0.1 mm, and they contain roughly equal amounts of plagioclase and mafic minerals. Two fragments are partially coated by glass.

<u>21036.3</u> - Fine-grained crystalline rock fragments. This sample contains six particles, 1.0 - 1.7 mm in size. They are fine-grained, gray fragments that could be fine-grained mare basalts.

21036.4 - Glassy particles. This group consists of 16 fragments ranging in size from 0.4 to 3 mm. Most are agglutinates or fragments of glass coatings. One fragment has a large cavity in it that appears to be coated with glass.

Luna 20:

<u>22023.0</u> - Bulk fines from which particles $> \sim 0.5$ mm have been removed. Medium gray in color.

<u>22023.1</u> - Agglutinates and regolith breccias. This group consists of 20 particles ranging in size from 0.4 to 1.2 mm. All are moderately coherent and light gray in color.

<u>22023.2</u> - Feldspathic crystalline fragments. There are 20 particles in this group. They range in size from 0.5 to 1.0 mm. Many appear to be single crystals of plagioclase. Others are aggregates of plagioclase grains.

22023.3 - Fine-grained crystalline rock fragments. This consists of six dark-colored fragments ranging from 0.6 to 1.7 mm in size. They could be impact melt breccias. Two have white clasts (about 0.1 mm in size).

<u>22023.4</u> - Coarser-grained crystalline rock fragments. This sample contains six particles that range in size from 0.8 to 1.5 mm. Most have granular textures with grain sizes of about 0.05 mm and are rich in feldspar. They are probably feldspathic, granulitic breccias.

Luna 24:

 $\underline{24088.0}$ - Bulk fines from which particles > ~ 0.5 mm have been removed. Medium gray color.

24088.1 - Regolith breccias, agglutinates, and others. This is a mixed bag containing 24 particles ranging in size from 0.3 mm to 2.6 mm. Soil breccias range greatly in coherency. Some are coated partially with dark glass. Four are finegrained crystalline fragments that might be impactment breccias. One might be a shocked basalt.

24088, 2 - Coarse-grained basalt and mineral fragments. This group contains 18 particles, 0.5 to 1.7 mm in size. Five are dark amber-brown monomineralogic clinoryroxene grains that are clear and glassy-looking. One is a broken sphere (0.75 mm in diameter) with a pale brownish orange color. Three are white, feldspar-rich fragments containing interstitial dark material in an almost graphic texture. One fragment is multimineralogic, but a green mineral, perhaps olivine, is conspicuous. Finally, eight fragments are medium-to-coarse basalts that are low in opaque minerals; they consist of brown pyroxene and white, clean plagioclase.

24088.3 - Fine-grained basalts. This sample contains seven fragments, 0.9 to 1.6 mm in size. They consist of about half plagioclase and half mafic minerals, with less than a few percent ilmenite. Their grain size is smaller than 0.1 mm. The fragments are similar to nine particles in 24105,2, except for being finer grained.

 $\underline{24105.0}$ - Bulk fines from which > ~ 0.5 mm particles have been removed. Medium gray color.

24105.1 - Agglutinates, regolith breccias, and others. This is a group of 20 fragments ranging in size from 0.4 to 1.3 mm. Some are quite friable. Five of them might be fine-grained, crystalline fragments.

24105.2 - Coarse-grained crystalline rock and mineral fragments. This is a group of 17 particles ranging in size from 0.4 to 1.4 mm. Two fragments are plagioclase grains (one clear, one translucent), both about 0.5 mm long. Nine particles are yellow-brown basalt fragments with grain sizes of about 0.1 - 0.2 mm; opaques are scattered and pyroxene appears to be more abundant than plagioclase. Four fragments are plagioclase-rich and coarse-grained, probably from a coarse-grained basalt. Finally, two particles are black and white crystalline rock fragments that might represent a highland rock type, but also be nonrepresentative portions of a mare basalt; one has a grain size of 0.2 mm and could be granulitic, whereas the other has a grain size of 0.1 mm and a more basaltic texture.

24105.3 - Fine-grained basalt fragment. This is "Big Ivan," an equant, 3-mm fragment of mare basalt. It consists of 40% plagioclase and 60% mafics, with a trace of opaque minerals. Olivine occurs as phenocrysts set in a matrix of grains

Table 1. Luna samples received in March 1987 from the Soviet Union

Mission	Soviet <u>Sample No.</u>	U.S. <u>Sample No.</u>	Depth in Core (cm)	Weight (mg)
Luna 16	1636	21036	20 - 28	998
Luna 20	2023	22023	5 - 27	524
Luna 24	24088.1	24088	88	505
Luna 24	24105.1	24105	105	492

smaller than 0.1 mm. It is vesicular, with the vesicles ranging from 0.1 to 0.5 mm in size. One surface has a couple of zap pits.

24105.4 - Fine-grained crystalline rocks. This group contains three angular fragments 1 to 1.5 mm in size. They have grain sizes of less than 0.05 mm, have a yellowish brown color, and contain no mineral clasts.

CURATORS' COMMENTS

Doug Blanchard John Dietrich NASA Johnson Space Center

Lunar Sample Allocations

The Lunar and Planetary Sample Team (LAPST) reviewed 18 lunar sample requests from 16 investigators at its June 1-2 meeting and recommended allocating 170 samples (weighing 173.9 grams) and 137 thin sections to 14 investigators. Three generalized requests for Luna samples were tabled until a special LAPST meeting to be held in August. Preliminary descriptions of the new samples published in this issue of LUNAR NEWS will provide data needed for more detailed requests.

LAPST also reviewed and endorsed the Curator's allocation of one returned sample (weighing 3.85 grams) and 16 thin sections to four investigators who requested samples between the February and June meetings.

Continuing interest in newly opened cores 79001 and 79002 led to requests from two investigator teams. One requested samples of large breccia fragments for analysis of the nitrogen isotopes. The other requested samples distributed along these cores and four other double-drive-tube cores for several studies including measurements of ¹⁰Be, ²⁶Al, ⁵³Mn, and/or ¹²⁹I.

Studies of breccia clasts generated requests from three investigators. One request for an Apollo 15 breccia supports a study in the Apennine Front project. The request for another Apollo 15 breccia supports an investigation of the origin of KREEP basalts. The third request continues an ongoing study of rocks represented as clasts in Apollo 14 breccias. LAPST recommended access to new slab surfaces, and allocation of samples from clasts identified during the study of those surfaces, for each of the three investigations. Rock sawing required to provide the new surfaces will be scheduled early this summer.

Two investigators are independently pursuing studies of Apollo 15 basalts. Each has identified a suite of samples for petrographic study and analysis for major and trace elements. Another group is studying mare basalts from the Apollo 16 highland site. A member of that team will examine coarse particles from an Apollo 16 core and select fragments for that study.

Other recommended allocations support studies of:

- Petrologic diversity of pristine lunar rocks,
- · Chemistry of volcanic glasses,
- Crystallographic study of coexisting polymorphs,
- · Reflectance spectra of lunar minerals,
- Xenon in lunar anorthosites, and
- Datable lunar zircons.

LAPST recommended denial of two requests received between the February and June 1987 meetings.

Cumulative Index for the Proceedings

The LPI is preparing an index for the first seventeen volumes of the <u>Proceedings of the Lunar and Planetary Conferences</u>. This new index volume will incorporate the index information that has been published in a separate volume for the first nine Proceedings volumes. This first index volume has been extremely useful although there are a few errors. If you have discovered any of these errors, you can provide a valuable service to the LPI and to the community by sending your corrections to:

Stephanie Tindell LPI Publications Office 3303 NASA Road One Houston, TX 77058

What Next in Curatorial Activities?

In response to requests from investigators, LAPST has recommended that the Curator saw two new slabs, one from 14303 and one from 15205. An existing slab of 15205 will be retrieved from a PI laboratory to check on its suitability for the study proposed.

LAPST has also recommended that the Curator continue with core dissection processing. The core recommended is 15009, a single drive-tube obtained at the Apennine front, station 6 of Apollo 15. This is the last of the Apollo 15 cores to be dissected. It is of particular interest to the investigators who are intensely studying the mare basalt suites at the Apollo 15 site.

Dissection of Lunar Core 79001/2

The dissection of lunar core 79001/2 has been completed in the pristine sample laboratory in the Planetary Materials Branch. The first half (lunar top) of the double drive tube, 79002, was totally dissected by the end of November 1986. The second half (lunar bottom), 79001, was completed in April 1987. Thin sections from 79002 are complete and available for allocation. Thin sections from 79001 will be complete by midsummer 1987.

The dissection of 79001/2 is documented on the diagrams which follow. The estimated FeO contents and the ferromagnetic resonance (FMR) data, indicating the relative degree of surface exposure, are reported for both halves. Both sets of data are provided by Dick Morris, JSC. The 79002 data was reported in a previous LUNAR NEWS and is included here again for completeness. (In the previous graph of the FMR data, the regions of maturity were mislabeled by the editor -they are correct in this copy.)


79001/2 was dissected in three separate 0.5 cm deep passes using dissection intervals of 0.5 cm. All splits are identified, including sieved (at 1 mm) and unsieved samples and large or special particles. The data for the 79002 core was reported in the last LUNAR NEWS. Only the data for 79001 is reported here.


Carol Schwarz was the dissection processor for both halves of this core. The illustrations were prepared by Claudine Robb.

Final Notes

LAPST, at its last meeting, held a LAPST Logo Contest. After several entries, some of which were quite graphic, LAPST (in rare good taste) abandoned the contest for lack of good taste (actually lack of any taste at all). Late entries from the community at large may still be accepted by LAPST at their August meeting (or maybe not).

In spite of the fact that we have received a few letters to the editor, we still are eager to hear from the readership. We will consider publishing your views and opinions on things lunar.





Page 8

DRIVE TUBE 79001 (First Dissection)

## Company of Company			CII)	rom	-1 m	- Fraction	\ \ 1 mm	- Fraction	1		Special Semples			
1.5 1.5			pth (pth f							Special Samples			
1			2	S. D	_		_		No.	Wt.	Туре			
1.0 1.8 1.4 1.231 1.5 0.283 1.5 0.283 1.5			- 0.5	17.9			_		-	Jan 1980	1 (2)			
THE PART OF THE PA							_				1.20	San Carlo		
### 1											118948 316	1300		
30 0.4 20 1.369 21 0.3126 3.5 20.9 22 1.251 23 0.542 4.4 21.4 24 1.842 25 0.388 4.5 21.9 28 2.026 29 0.105 5.5 22.4 9 0.2.013 31 0.328 5.5 22.9 30 2.013 31 0.328 6.5 23.9 34 2.030 35 0.899 7.7 24.9 38 1.978 39 0.266 6.8 23.4 0.1953 41 0.081 8.8 25.9 40 1.953 41 0.081 8.8 25.9 41 1.081 8.8 25.9 44 1.936 48 0.193 9.0 26.4 47 2.456 48 0.193 1.10 27.4 49 2.566 50 0.134 1.10 27.4 49 2.566 50 0.134 1.10 3.10 4 1.936 44 1.936 44 0.849 1.10 3.1 1.91 52 0.167 1.10 3.8 4 1.936 44 0.393 1.11 3.8 0.9 13 2.466 54 0.146 1.11 3.8 10.9 13 2.431 4 0.881 1.12 2.9 5 2.85 56 0.211 1.14 31.4 67 1.764 68 0.238 1.15 3.0 9 2.338 60 0.284 1.15 3.10 9 2.338 60 0.284 1.15 3.10 9 7 2.38 60 0.284 1.15 3.8 0 9 2.398 60 0.284 1.15 3.8 0 9 2.398 60 0.284 1.15 3.1 0.9 13 2.431 4 0.391 1.15 2.8 0 5 2.485 56 0.211 1.16 31.9 7 1.7 2.45 78 0.316 1.17 3.4 4 79 2.607 80 0.188 1.18 3.5 5 7 1.858 58 0.2344 1.19 3.1 4 0.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1									-	er ive se	The state of the s	- 100		
3.5 20.9 22 1.231 23 0.542 4.0 21.4 2.4 1.842 2.5 0.388 5.0 22.4 30 2.013 31 0.328 5.0 22.4 30 2.013 31 0.328 6.0 23.4 2.030 3.5 0.689 7.0 24.4 36 2.021 37 0.204 7.5 24.9 36 2.021 37 0.204 7.5 24.9 38 1.978 39 0.266 8.5 22.9 44 1.936 45 0.419 46 0.849 Baralit(7) 9.0 26.4 47 2.456 48 0.190 9.0 26.4 47 2.456 48 0.190 9.1 2.86 5.0 0.134 9.1 2.89 77 1.89 52 0.167 11.0 28.8 55 2.485 56 0.211 11.1 28.9 59 2.338 60 0.284 12.0 39.4 77 1.878 58 0.2124 13.0 30.4 61 2.541 62 0.305 14.0 31.5 50.3 14.0 31.5 50.3 14.0 31.5 50.3 14.0 31.5 50.3 14.0 31.5 77 2.45 78 0.316 14.1 31.5 69 2.249 70 0.198 15.5 32.9 71 2.054 72 0.716 17.7 2.45 78 0.316 18.0 35.4 77 2.457 78 0.316 18.0 35.5 77 2.75 78 0.316 18.0 35.5 78 0.316 18.0 35.5 78 0.316 18					20	1.369	21	0.326				Contract of		
## 1							_		_		1.50	la ha		
### 1990 28 2.026 29 0.105 5.0 22.4 5.5 22.9 30 2.013 31 0.328 31 0.328 32 1.769 33 0.215 33 0.215 34 2.030 35 0.689 36 2.021 37 0.204 38 1.978 39 0.266 38 0.276 38 0.			- 4.0	21.4						Charles .		6. 6.7		
1		0	- 4.5	21.9			_				7777			
1.00							-				-	-		
7.0 24.4 38 1.978 39 0.266					$\overline{}$		_		-	WI IS		-		
7.0 24.4 36 2.021 37 0.204 7		0 9/1/10			34	2.030	35	0.689			MILL	La la constant		
7.5 24.9 38 1.978 39 0.266 8.0 25.4 40 1.935 41 0.081 8.5 25.9 42 1.538 43 0.158 8.5 25.9 42 1.538 43 0.158 8.5 25.9 42 1.538 43 0.158 8.5 25.9 42 1.538 43 0.158 8.5 25.9 44 1.936 45 0.439 46 0.849 Basali(7) 9.5 26.9 47 2.436 48 0.190 9.100 27.4 51 1.991 52 0.167 9.100 27.4 51		0			36	2.021	37	0.204			1770	1		
## 1		/ /	-		_		_			P. Ser. By		-		
## 1940 1940		00 /	- 8.0	25.4					-			- A 14		
9.0, 26.4, 47 2.436 48 0.190 10.0 27.4, 49 2.566 50 0.134 11.0 527.9, 11.0 28.9, 11.0 52.9, 11.0 28.9, 11.0 29.9, 11.0 28.9, 11.0 29		,46	- 8.5	25.9					46	0.849	Basalt(?)	-		
100 27.4 49 2.566 50 0.134 100 27.9 51 1.991 52 0.167 110 28.4 11.5 28.9 55 2.485 56 0.211 12.5 29.9 59 2.338 60 0.284 13.0 30.4 61 2.534 62 0.305 13.0 30.4 61 2.534 62 0.305 13.1 30.9 65 2.116 66 0.228 14.5 31.9 67 1.764 68 0.670 15.0 32.4 14.5 31.9 67 1.764 68 0.670 15.0 32.4 15.5 32.9 71 2.054 72 0.716 15.5 32.9 71 2.054 72 0.716 15.5 33.9 77 2.245 78 0.336 16.0 33.4 77 2.245 78 0.336 17.0 34.4 18.3 35.9 83 2.481 84 0.066 18.3 35.9 83 2.481 84 0.066 18.3 35.9 83 2.481 84 0.066 19.0 36.4 85 2.197 86 0.076 19.0 36.4 87 2.619 88 0.162 19.0 36.4 87 2.619 88 0.162 19.0 36.4 87 2.619 88 0.070 19.0 36.4 87 2.619 88 0.066 19.0 36.4 87 2.619 88 0.066 19.0 36.4 87 2.619 88 0.066 19.0 36.4 87 2.619 88 0.066 19.0 36.4 89 2.216 90 0.079 20.0 37.4 99 2.354 92 0.091 21.0 38.4 93 2.726 94 0.358 22.0 39.4 99 2.314 98 0.352 22.0 39.4 99 2.314 98 0.352 22.0 39.4 99 2.314 98 0.352 22.0 39.4 99 2.314 98 0.352 22.1 39.9 99 1.381 100 0.908 101 1.409 Basali(7) White fragments or Lt gray bx Glass or glassy fragments							_		40	0.047	Dubuit(1)			
THE TOTAL PAPER OF THE PAPER OF					_						1.121			
THE PAPER OF THE P		1 1			51	1.991	52	0.167				a lead of		
### A Depund 11.5 28.9 55 2.485 56 0.211		1 1			_			_			100			
THE PURPLY OF TH		\cap			_						70 7 10	-		
THE TOTAL OF THE T			-12.0	29.4					-		1 1111	-		
THOUGHT 13.0 30.4			-12.5	29.9						_	1 100	The last		
11.5.0 32.4	ight	0										271		
11.5.0 32.4	unda	0000			_		66					-0.81		
THE PART OF THE PA	Bo	I LOW	1000		67	1.764	68	0.670				285		
The first state of the first sta			20.00							print year	1 67	100		
16.0 33.4 16.5 33.9 75 2.020 76 0.491 77 2.245 78 0.336 79 2.607 80 1.187 1.80 35.4 1.85 35.9 1.80 35.4 1.85 35.9 1.90 36.4 1.85 36.9 2.00 37.4 1.95 36.9 2.00 37.4 1.95 36.9 2.00 37.4 2.05 37.9 37.9 37.4 2.05 37.9 3			-15.5	32.9							190	-		
16.5 33.9					_					-	1 2767	110		
17.5 34.9 81 2.282 82 0.196 83 2.481 84 0.066 85 2.197 86 0.076 89 2.216 90 0.079 91 2.354 92 0.091 93 2.726 94 0.358 95 2.244 96 0.296 97 2.134 98 0.252 99 1.381 100 0.908 101 1.409 Basali(?) White fragments or Lt gray bx 102 1.282 103 1.003 104 0.540 105 0.185 106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts														
19.0 36.4 87 2.619 88 0.162 90 0.079 91 2.354 92 0.091 92.10 38.4 95 2.244 96 0.296 97 2.134 98 0.252 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx 102 1.282 103 1.003 104 0.540 105 0.185 92.4,0 41.4 91.566 Basalt w/olivine phenocrysts	Dark				79	2.607	80	1.187			1 7 7 7	281		
19.0 36.4 87 2.619 88 0.162 90 0.079 91 2.354 92 0.091 92.10 38.4 95 2.244 96 0.296 97 2.134 98 0.252 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx 102 1.282 103 1.003 104 0.540 105 0.185 92.4,0 41.4 91.566 Basalt w/olivine phenocrysts	l/Ilg									11.1201	1 70	300		
19.0 36.4 87 2.619 88 0.162 89 2.216 90 0.079 91 2.354 92 0.091 93 2.726 94 0.358 95 2.244 96 0.296 97 2.134 98 0.252 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx 104 0.540 105 0.185 91 104 0.540 105 0.185 91 106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts	m Li		18.5	35.9								- Harris		
19.5 36.9 20.0 37.9 91 2.354 92 0.091 20.5 37.9 93 2.726 94 0.358 21.0 38.9 95 2.244 96 0.296 22.0 39.4 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx 22.5 39.9 1.381 102 1.282 103 1.003 104 0.540 105 0.185 24.0 41.4 1.566 Basalt w/olivine phenocrysts Glass or glassy fragments		·	-19.0	36.4	_						1.11			
20.0 37.4 91 2.354 92 0.091 93 2.726 94 0.358 95 2.244 96 0.296 97 2.134 98 0.252 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx 102 1.282 103 1.003 104 0.540 105 0.185 924.0 41.4 9106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts											1 77 110			
21.0 38.4 93 2.726 94 0.358 95 2.244 96 0.296 97 2.134 98 0.252 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx 102 1.282 103 1.003 104 0.540 105 0.185 106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts											1 1000 1 1000	المعاديا		
22.0 39.4 97 2.134 98 0.252					93	2.726	94	0.358			3541	الصفيطات		
-22.0 39.4 98 0.252 99 1.381 100 0.908 101 1.409 Basalt(?) White fragments or Lt gray bx -22.5 39.9 -23.0 40.4 -23.5 40.9 -24.0 41.4 106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts Glass or glassy fragments		00							-		1 2 1 - 2	إسانات		
22.5 39.9 102 1.282 103 1.003 2.3.0 40.4 23.5 40.9 106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts									101	1.400	Pagalt/2)	- Billion		White fragments or Lt gray by
23.0 40.4 23.5 40.9 104 0.540 105 0.185 Glass or glassy fragments		(,101)							101	1.409	Dasaiu ()	1000	444	vi 21 8/2/ VA
23.5 40.9 41.4 106 0.550 107 0.584 116 1.566 Basalt w/olivine phenocrysts		X 6/9									1.87.77	da -		Glass or alassy fragments
		8 0 116 T		200					116	1.566	Basalt w/olivine phe	enocrysts		Olass of glassy fragmonts
24.5 41.9 108 0.553 109 0.324 110 1.112 Basalt w/olivine phenocrysts Basalt w/olivine phenocrysts				100	108	0.553	109	0.324	110	1.112	Basalt w/olivine phe	enocrysts	[22]	Basalt w/olivine phenocrysts
25.0 42.4 111 0.706 112 0.304 113 0.467 Basan w/on-the phonocrysts		0							113	0.487	Basalt w/olivine phe	enocrysts	144	phonocijea
25.5 42.9 114 1.303 115 1.154		1	1						NATIONAL PROPERTY.		1 190 4	-	777	Regalt
26.0 43.4		1/									1772 277	A Dec	1/4	Lowell
F26.5143.9											1723 816	There	-	D .
-27.0 44.4 125 2 142 126 0 156		7 3									1371	Mexer	-	вх
27.5 44.9 127 2.061 128 0.190		١ . ٨					128	0.190				1	[स्टब्स	0-11 111
28.5 45.9 129 2.209 130 0.441			- 1	- 1	129						13	6 000		Soil bx or soil clods
29.0 46.4 131 2.128 132 0.249											Titles	4		Fragment left in place
				46.7	133	1.509	134	0.393				-		

DRIVE TUBE 79001 (Second Dissection)

	Depth (cm)		ieved nple			Special Samples		
	Dept	No.	Wt.	No.	Wt.	Туре		
₩ Op	100	1015	2.544	110.		reserve to the state of the		
	- 0.5	1016	3.280				_	
	1.0	1017	2.984	Second	NA.		=	
	- 1.5 - 2.0	1018	3.498			-3184J	-	
	2.5	1019	2.804		7	and the second second	-	
	- 3.0	1020	3.667	-				
0	- 3.5	1021	2.605					
	4.0	1022	3.307					
0	4.5	1023	3.571				_7	
	5.0	1024	3.212			The state of the s		
\sim \sim	5.5	1025	3.503	-			_	
00.0	6.0	1026	2.943				_	
	6.5	1027	3.396	_			_	
	7.0	1028	2.073	-	10-11-12 to	the second second	-	
	7.5	1029	1.867			Address of the second	_ '	
I = I = I = I	6.0	1031	2.374				_	
	8.5	1032	3.084				-	
1 1 2	9.0	1033	3.308	1000			-	
	9.5	1054	5.ZII	-1			-1	
1	- 4	1035	3.263				-4	
	10.5	1036	2.815					
e	11.5	1037	2.887	11-11-1-11-1	-1-1	- Comment of the same		
Boundary Boundary	12.0	1038	3.201				-1	
oming of the last	12.5	1039	2.415	N I was again.			4	
Ğ	13.0	1040	2.068				4	
`~///-	13.5	1041	2.327				-	
10:57	14.0	1042	2.990				-1	
	14.5	1043	3.727 2.964				-	
	15.0	1045	3.322				-	
	15.5	1046	4.092			Water State of the	- 1	
1 20 1	16.0	1047	4.214	1048	0.027	Dk. Greenish Glass	- 1	
1048	16.5	1049	2.008					
A dary	17.0	1050	3.829					
200	18.0	1051	2.758					
3 m	18.5	1052	3.951		-		- 1	
	19.0	1053	2.617				-3 - 1	
í E	19.5	1054	3.216				1-2	
· ·	20.0	1055	2.708	-			Day 1	
	20.5	1056	3.880			And the same of th	5 .	
\ \ \ \ \ \ \	21.0	1057	4.078				100	
	21.5	1058	3.423					
1002	22.0	1059	3.348				100	
L 155 M C 15 1	22.5	1060 1061	2.773 1.500	1062	1.547	Basalt w/oliving shares	-	
(42)	23.0	1063	0.824	1002	1.347	Basalt w/olivine phenocrysts		
1 100	23.5	1064	0.918	1066	0.489	Basalt w/olivine phenocrysts	100	
V33324331	24.0	1065	3.169			The productifits	33	Glass Sphere
Marie	44.J ⊨	1067	3.371	1069	1.396	Basalt w/olivine phenocrysts	1221	
(11111111111111111111111111111111111111		1070	1.763	1068	1.978	Basalt w/olivine phenocrysts (?)		Class
	26.0	1071	2.086	1073	1.076	Basalt w/olivine phenocrysts		Glass
,1013	26.5	1072	2.237				273	
	27.0	1074	2.944			755-12	- 22	Basalt w/olivine phenocrysts
(),0,0	27.5	1075	3.405	1076	1.340	?	1000	
	28.0	1077	3.082			August 1	60	Soil Clod
CHANGE DRIVER BOT LAND A STATE OF THE PARTY	28.5	1078	2.707				16.50	
	29.0	1079 1080	3.409 2.643			The second of the second	100	Fragment left in place
The state of the s								

DRIVE TUBE 79001 (Third Dissection)

		Depth (cm)		Fraction		Fraction		<u>s</u>	pecial Samples		
		epth		nple Wt.	No.	nple Wt.	No.	Wt.	Tume		
		Д	No. 2006	2.493	2007	0.336	2135	0.985	Type Soil Clod		
	(1135(,2010)	- 0.5	2008	2.586	2009	0.521	2010	0.636	Soil Clod		
	O TO	- 1.0	2011	2.092	2012	0.803	2010	0.050	John Clou		
		- 1.5	2013	3.160	2014	0.720	2015	0.506	Soil Clod		
	(2015)	- 2.0	2016	2.499	2017	0.323					
		- 2.5	2018	2.059	2019	0.387	2136	0.710	Soil Clod		
	(2/36)	- 3.0	2020	3.275	2021	0.454					
		- 3.5 - 4.0	2022	2.934	2023	0.426					
	1 1	- 4.5	2024	2.317	2025	0.238					
		- 5.0	2026	2.853	2027	0.313					
		- 5.5	2028	2.935	2029	0.348					
		- 6.0	2030	3.040	2031	0.475					
		- 6.5	2032	2.261	2033	0.152	-				
		- 7.0	2034	2.409	2033	0.340	2137	15.108	Basalt		
	(131///	- 7.5	2038	1.942	2039	0.489	2137	13.100	Dasan		
		- 8.0	2040	1.343	2041	0.168	2042	1.299	Basalt		
	2.042	- 8.5	2043	1.612	2044	0.178	2138	0.407	Basalt		
		9.0	2045	2.272	2046	0.243	2139	2.743	Basalt		
	,2/31	9.5	2047	2.614	2048	0.109					
	1 [- 10.0 - 10.5	2049	2.825	2050	0.169			in the		
Dark/Light Boundary		- 11.0	2051	3.458	2052	0.301		- E			
rk/L	0000	- 11.5	2053	2.951	2054	0.240	7.				
Da	10	- 12.0	2055	2.025	2056	0.389		0.100			
	(:::,2141	- 12.5	2057	1.010	2058	0.153	2141	9.423	Breccia		
	(3)	- 13.0	2059	1.681	2060	0.195	2061	2.641	Basalt?		
		- 13.5	2062	3.021	2063	0.274					
		- 14.0	2066	2.630	2067	0.519					
		- 14.5	2068	3.080	2069	0.176					
		- 15.0	2070	2.410	2071	0.323					
	1 90	- 15.5 - 16.0	2072	2.814	2073	0.352	2143	5.727	?		
	(,2)43	- 16.5	2074	2.407	2075	0.459					
* _	(2080)	- 17.0	2076	1.895	2077	0.290	2080	1.827	Breccia(?)		
Light/Dark Boundary	,2081	- 17.5	2078	2.656	2079	0.407	2081	0.072	Glass sphere		
Sour	,204/	- 18.0	2082	2.671 3.258	2083	0.200					
1	l	- 18.5	2084	3.453	2087	0.264					
		- 19.0	2088	3.353	2089	0.061					
		- 19.5	2090	2.900	2091	0.546					
		- 20.0 - 20.5	2092	2.669	2093	0.193					
		21.0	2094	2.964	2095	0.130					
		- 21.5	2096	3.384	2097	0.219	2146	0.333	Agglutinate		
	,2100	- 22.0	2098	2.341	2099	0.322	2100	1.634	?	ш	Anorthosite plagioclase,
		- 22.5	2101	1.569	2102	0.707	2144	20.766	Basalt w/olivine phenocrysts	Ш	white stuff
,21054	2 144	- 23.0	2103	1.185	2104	0.981	2105	1.149	Basalt w/olivine phenocrysts	559	
121034		- 23.5	2106	0.613	2107	0.275				33	Glass Sphere
		- 24.0	2110	1.429	2111	1.442					
	5	- 24.5	2112	1.514	2113	0.298	2147	10.158	?		Glass
	,2147	- 25.0	2114	1.734	2115	0.355	2116	1.806	Basalt w/olivine phenocrysts		
	21116	25.5	2117	2.489	2118	0.242				333	Basalt w/olivine phenocrysts
	-	- 26.0 - 26.5	2119	3.191	2120	0.284			Yana Janaan Kanada	للندة	•
	0,2123	27.0	2121	2.688	2122	0.299	2123	0.049	Glass sphere	7	Basalt
	(2148)	27.5	2124	2.583	2125	0.157	2148	0.555	?	*22	
	700	- 28.0	2126	2.623	2127	0.680					Soil Clod or Soil Breccia
		- 28.5	2128	2.879	2129	0.140				لننا	
		- 29.0	2130	2.871	2131	0.180		-			Fragment left in place
		29.3	2132	2.127	LIJJ	0.570					J 1